

### SECTION 1: Product and company identification

Product name : High Glow – Damp Mop Cleaner  
 Use of the substance/mixture : Cleaner  
 Product code : 0115  
 Company : Total Solutions  
 P.O. Box 240014  
 Milwaukee, WI 53224 - USA  
 T (414) 354-6417  
 Emergency number : Chemtec: (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Skin Irrit. 2 H315  
 Eye Dam. 1 H318  
 Carc. 2 H351

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

Causes skin irritation  
 Causes serious eye damage  
 Suspected of causing cancer

Precautionary statements (GHS-US) :

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wash thoroughly after handling  
 Wear eye protection, protective clothing, protective gloves  
 If on skin: Wash with plenty of water  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If exposed or concerned: Get medical advice/attention  
 Immediately call a doctor, a POISON CENTER  
 Specific treatment (see First aid measures on this label)  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash it before reuse  
 Store locked up  
 Dispose of contents/container to comply with local/regional/national/international regulations.

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Benzenesulfonic acid, C10-16-alkyl derivatives	(CAS No) 68584-22-5	3.0 - 7.0	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Cocoamide	(CAS No) 8051-30-7	3.0 - 7.0	Skin Irrit. 2, H315 Eye Dam. 1, H318
nonylphenoxypoly(ethyleneoxy)ethanol (9EO)	(CAS No) 9016-45-9	1.0 - 5.0	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

# High Glow – Damp Mop Cleaner

## Safety Data Sheet

**TOTAL**  
SOLUTIONS™

Name	Product identifier	%	Classification (GHS-US)
2,2'-iminodiethanol, diethanolamine	(CAS No) 111-42-2	0.1 - 1.0	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Carc. 2, H351 STOT RE 2, H373

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage. Suspected of causing cancer.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.
- Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
- Symptoms/injuries after ingestion : Gastrointestinal complaints. Vomiting. Nausea. Cramps/uncontrolled muscular contractions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Upon combustion: CO and CO2 are formed.

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Gloves. Protective goggles. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

# High Glow – Damp Mop Cleaner

## Safety Data Sheet

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use. Store in original container.
Incompatible products	: strong acids.
Storage area	: Store in a dry area. Store in a cool area.
Special rules on packaging	: meet the legal requirements. Keep only in original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear, red-orange liquid.
Odor	: lemon-like
Odor threshold	: No data available
pH	: 6.5 - 7.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.02 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 0.2 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

# High Glow – Damp Mop Cleaner

## Safety Data Sheet

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

strong acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)</b>	
LD50 oral rat	530 mg/kg
<b>2,2'-iminodiethanol, diethanolamine (111-42-2)</b>	
LD50 dermal rabbit	8180 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation. pH: 6.5 - 7.5
Serious eye damage/irritation	: Causes serious eye damage. pH: 6.5 - 7.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.

<b>2,2'-iminodiethanol, diethanolamine (111-42-2)</b>	
IARC group	2B - Possibly Carcinogenic to Humans
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/injuries after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/injuries after ingestion	: Gastrointestinal complaints. Vomiting. Nausea. Cramps/uncontrolled muscular contractions.

## SECTION 12: Ecological information

### 12.1. Toxicity

nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)	
LC50 fish 1	5 mg/l (96 h; Gasterosteus aculeatus; Intermittent flow)
EC50 other aquatic organisms 1	500 mg/l (Selenastrum capricornutum; Chronic)
LC50 fish 2	7 mg/l (96 h; Leuciscus idus)
Threshold limit algae 1	500 mg/l (Selenastrum capricornutum; Cell numbers)

### 12.2. Persistence and degradability

nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Persistence and degradability	Not readily biodegradable in water.

### 12.3. Bioaccumulative potential

nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Log Pow	> 4

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# High Glow – Damp Mop Cleaner

## Safety Data Sheet

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

#### Additional information

Other information : No supplementary information available.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2,2'-iminodiethanol, diethanolamine	CAS No 111-42-2	0.1 - 1.0
2,2'-iminodiethanol, diethanolamine (111-42-2)		
Listed on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

### SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*