

**SECTION 1: Product and company identification**

Product name : Ultra Car Wash Concentrate  
 Use of the substance/mixture : Cleaner  
 Product code : 0118  
 Company : Total Solutions  
 P.O. Box 240014  
 Milwaukee, WI 53224 - USA  
 T (414) 354-6417  
 Emergency number : Chemtec: (800) 424-9300

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (GHS-US)**

Skin Irrit. 2 H315  
 Eye Dam. 1 H318  
 Carc. 2 H351  
 Full text of H-phrases: see section 16

**2.2. Label elements**

**GHS-US labeling**

Hazard pictograms (GHS-US) :



Signal word (GHS-US) : Danger  
 Hazard statements (GHS-US) : Causes skin irritation  
 Causes serious eye damage  
 Suspected of causing cancer  
 Precautionary statements (GHS-US) : Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wash thoroughly after handling  
 Wear eye protection, protective clothing, protective gloves  
 If on skin: Wash with plenty of water  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If exposed or concerned: Get medical advice/attention  
 Immediately call a doctor, a POISON CENTER  
 Specific treatment (see First aid measures on this label)  
 If skin irritation occurs: Get medical advice/attention  
 Take off contaminated clothing and wash before reuse  
 Store locked up  
 Dispose of contents/container to comply with local/regional/national/international regulations.

**2.3. Other hazards**

No additional information available

**2.4. Unknown acute toxicity (GHS US)**

Not applicable

**SECTION 3: Composition/information on ingredients**

**3.1. Substance**

Not applicable  
 Full text of H-phrases: see section 16

**3.2. Mixture**

Name	Product identifier	%	Classification (GHS-US)
tetrasodium ethylenediaminetetracetate	(CAS No) 64-02-8	5-15	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
nonylphenoxypoly(ethyleneoxy)ethanol (9EO)	(CAS No) 9016-45-9	3-7	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Disodium cocoamphodipropionate	(CAS No) 68604-71-7	1-5	Eye Dam. 1, H318

# Ultra Car Wash Concentrate

## Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
disodium metasilicate	(CAS No) 6834-92-0	1-5	Skin Corr. 1B, H314 STOT SE 3, H335
Sodium glycolate	(CAS No) 2836-32-0	0.1-1.5	Eye Irrit. 2A, H319 STOT SE 3, H335
trisodium nitrilotriacetate	(CAS No) 5064-31-3	0.1-1.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Carc. 2, H351

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage. May cause cancer.
- Symptoms/injuries after inhalation : None under normal use.
- Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.
- Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
- Symptoms/injuries after ingestion : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

- Reactivity : Thermal decomposition may produce oxides of carbon and nitrogen.

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Isolate from fire, if possible, without unnecessary risk.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Safety glasses. Gloves. Protective clothing.
- Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain released substance, pump into suitable containers.
- Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

# Ultra Car Wash Concentrate

## Safety Data Sheet

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
- Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep container closed when not in use. Store locked up.
- Incompatible products : strong acids. Oxidizing agents.
- Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids.
- Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.
- Special rules on packaging : meet the legal requirements.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

- Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Appearance : Clear, light yellow liquid.
- Odor : mild detergent odor
- Odor threshold : No data available
- pH : 12 - 13
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : > 200 °F Closed Cup
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosion limits : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Relative vapor density at 20 °C : No data available
- Specific gravity / density : 1.14 g/ml
- Solubility : Soluble in water.
- Log Pow : No data available
- Log Kow : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Viscosity : No data available
- Viscosity, kinematic : No data available
- Viscosity, dynamic : No data available
- VOC content : < 0.5 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Thermal decomposition may produce oxides of carbon and nitrogen.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

strong acids. Oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>tetrasodium ethylenediaminetetracetate (64-02-8)</b>	
LD50 oral rat	> 2000 mg/kg (Rat)
ATE CLP (oral)	500.000 mg/kg body weight
<b>Sodium glycolate (2836-32-0)</b>	
LD50 oral rat	7110 mg/kg
<b>trisodium nitrilotriacetate (5064-31-3)</b>	
LD50 oral rat	1740 mg/kg rat, male and female
LD50 dermal rabbit	> 2000 mg/kg
ATE CLP (oral)	500.000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.  
pH: 12 - 13

Serious eye damage/irritation : Causes serious eye damage.  
pH: 12 - 13

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

<b>trisodium nitrilotriacetate (5064-31-3)</b>	
IARC group	2B - Possibly Carcinogenic to Humans

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/injuries after ingestion : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhea.

### SECTION 12: Ecological information

#### 12.1. Toxicity

<b>nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)</b>	
LC50 fish 1	5 mg/l (96 h; Gasterosteus aculeatus; Intermittent flow)
EC50 other aquatic organisms 1	500 mg/l (Selenastrum capricornutum; Chronic)
LC50 fish 2	7 mg/l (96 h; Leuciscus idus)

# Ultra Car Wash Concentrate

## Safety Data Sheet

nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Threshold limit algae 1	500 mg/l (Selenastrum capricornutum; Cell numbers)
tetrasodium ethylenediaminetetracetate (64-02-8)	
LC50 fish 1	121 mg/l (96 h; Lepomis macrochirus; Soft water)
EC50 Daphnia 1	625 mg/l (24 h; Daphnia magna)
LC50 fish 2	374 - 792 mg/l (96 h; Lepomis macrochirus; pH > 7)
Threshold limit algae 1	> 100 mg/l (72 h; Scenedesmus subspicatus; Growth)
trisodium nitrilotriacetate (5064-31-3)	
LC50 fish 1	114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test
EC50 Daphnia 1	> 100 mg/l Daphnia magna (Water flea); Test Type: static test
ErC50 (algae)	91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test; Method: OECD Test Guideline 201

### 12.2. Persistence and degradability

nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Persistence and degradability	Not readily biodegradable in water.
tetrasodium ethylenediaminetetracetate (64-02-8)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	0.54 - 0.58 g O <sub>2</sub> /g substance

### 12.3. Bioaccumulative potential

nonylphenoxypoly(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Log Pow	> 4
tetrasodium ethylenediaminetetracetate (64-02-8)	
Log Pow	-2.6
Bioaccumulative potential	Bioaccumulation: not applicable.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

### Additional information

Other information : No supplementary information available.

### ADR

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

## SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

# Ultra Car Wash Concentrate

## Safety Data Sheet

### SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 2	Carcinogenicity Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*