

**SECTION 1: Product and company identification**

Product name : Tire Dressing  
 Use of the substance/mixture : Coating  
 Product code : 0290  
 Company : Total Solutions  
 P.O. Box 240014  
 Milwaukee, WI 53224 - USA  
 T (414) 354-6417  
 Emergency number : Chemtec: (800) 424-9300

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (GHS-US)**

Eye Irrit. 2A H319  
 Repr. 2 H361  
 Full text of H-phrases: see section 16

**2.2. Label elements**

**GHS-US labeling**

Hazard pictograms (GHS-US) :

  
 GHS07

  
 GHS08

Signal word (GHS-US) : Warning  
 Hazard statements (GHS-US) : Causes serious eye irritation  
 Suspected of damaging fertility or the unborn child  
 Precautionary statements (GHS-US) : Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wash thoroughly after handling  
 Wear eye protection, protective clothing, protective gloves  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If exposed or concerned: Get medical advice/attention  
 If eye irritation persists: Get medical advice/attention  
 Store locked up  
 Dispose of contents/container to comply with local/regional/national/international regulations.

**2.3. Other hazards**

No additional information available

**2.4. Unknown acute toxicity (GHS US)**

Not applicable

**SECTION 3: Composition/information on ingredients**

**3.1. Substance**

Not applicable  
 Full text of H-phrases: see section 16

**3.2. Mixture**

Name	Product identifier	%	Classification (GHS-US)
Ethoxylated Isoalcohols	(CAS No) 78330-21-9	0.1-1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
nonylphenoxy poly(ethyleneoxy) ethanol (9EO)	(CAS No) 9016-45-9	0.1-1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
octamethylcyclotetrasiloxane	(CAS No) 556-67-2	0.01-0.5	Flam. Liq. 3, H226 Repr. 2, H361

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned:  
 Get medical advice/attention.

# Tire Dressing

## Safety Data Sheet

First-aid measures after inhalation	: If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Rinse with water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Suspected of damaging fertility. Suspected of damaging the unborn child.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints. Nausea. Cramps. Vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

##### 6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. NO open flames, NO sparks, and NO smoking. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Protect from freezing.

Incompatible products : strong acids.

Storage area : Meet the legal requirements. Store in a cool area. Store in a dry area.

Special rules on packaging : meet the legal requirements.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective goggles. Protective clothing.



### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Opaque. Milky white liquid.
Odor	: No odor
Odor threshold	: No data available
pH	: 8.5 - 9.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.993 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 1 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Upon combustion: CO and CO<sub>2</sub> are formed.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

strong acids.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

octamethylcyclotetrasiloxane (556-67-2)	
LD50 oral rat	> 4800 mg/kg
LC50 inhalation rat (ppm)	2975 ppm/4h Test atmosphere: vapor
ATE CLP (gases)	2975.000 ppmV/4h

Skin corrosion/irritation : Not classified  
pH: 8.5 - 9.5

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 8.5 - 9.5

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Contact during a long period may cause light irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Gastrointestinal complaints. Nausea. Cramps. Vomiting.

## SECTION 12: Ecological information

### 12.1. Toxicity

nonylphenoxy(ethyleneoxy)ethanol (9EO) (9016-45-9)	
LC50 fish 1	5 mg/l (96 h; Gasterosteus aculeatus; Intermittent flow)
EC50 other aquatic organisms 1	500 mg/l (Selenastrum capricornutum; Chronic)
LC50 fish 2	7 mg/l (96 h; Leuciscus idus)
Threshold limit algae 1	500 mg/l (Selenastrum capricornutum; Cell numbers)
octamethylcyclotetrasiloxane (556-67-2)	
LC50 fish 1	> 0.022 mg/l Oncorhynchus mykiss (rainbow trout)
EC50 Daphnia 1	> 0.015 mg/l Daphnia sp.
ErC50 (algae)	> 0.022 mg/l 96 h; Pseudokirchneriella subcapitata (green algae)

### 12.2. Persistence and degradability

nonylphenoxy(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Persistence and degradability	Not readily biodegradable in water.

### 12.3. Bioaccumulative potential

nonylphenoxy(ethyleneoxy)ethanol (9EO) (9016-45-9)	
Log Pow	> 4
octamethylcyclotetrasiloxane (556-67-2)	
Log Pow	6.48 Partition coefficient: noctanol/water (25.1°C)

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

**SECTION 14: Transport information**

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

**Additional information**

Other information : No supplementary information available.

**ADR**

No additional information available

**Transport by sea**

No additional information available

**Air transport**

No additional information available

**SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

**SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H361	Suspected of damaging fertility or the unborn child

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.*